

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	381732	(cool\$3 or freez\$3 or frozen) near2 (fluid or liquid or water)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:01
L2	22524	1 with (hous\$3 or room or premises or building or office)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:29
L3	1117978	(system or component or pipe or cool\$3 or conduit) near5 (plenum or meet\$3 or intersection or connect\$3 or univers\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:07
L4	38069	(locat\$3 or position\$3) near5 ((awar\$3 or indicat\$3 or recogniz\$3 or presen\$4) near3 (sens\$3 or detect\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:18
L5	2577	4 near7 (determin\$3 or defin\$3 or plan\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:13
L6	8324	(chang\$3 or modif\$4 or manipul\$3 or adjust\$3) near7 ((cool\$3 or freez\$3 or frozen) near3 (component or system or device or unit or element))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:13
L7	231	6 near7 (determin\$3 or defin\$3 or plan\$4 or verif\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:48
L8	0	1 and 2 and 3 and 5 and 7	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:14
L9	0	1 and 3 and 5 and 7	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:30
L10	2	2 and 3 and 4 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:30
L11	13442	(locat\$3 or position\$3) near5 ((awar\$5 or recogniz\$3 or presen\$4) near2 (sens\$3 or detect\$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:48
L12	0	2 and 3 and 11 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:19
L13	167226	(awar\$5 or recogniz\$3 or presen\$4) near2 (sens\$3 or detect\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:19
L14	14	2 and 3 and 13 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:25

L15	8	((("6250560") or ("6019677") or ("5718628") or ("5372544"))).PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/05 09:28
L17	298465	(cool\$3 or heat\$3) near4 (system or module)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:29
L18	22212	17 same (room or premises or building or office)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:29
L19	0	18 and 3 and 5 and 7	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:30
L20	9	18 and 3 and 4 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:44
L21	276149	(cool\$3 or AC or (air adj condition\$3)) near9 (build\$3 or office or room or machine\$4 or equipment or rack or (data near3 (center or central or room)))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:04
L22	712182	(locat\$3 or position\$3) near7 (sens\$3 or detect\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:48
L23	88580	22 near7 (determin\$3 or defin\$3 or plan\$4 or verif\$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:49
L24	1	21 and 23 and 7	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 09:52
L25	55	21 and 23 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:05
L26	280810	(cool\$3 or AC or (air adj condition\$3)) near9 (build\$3 or office or room or facility or machine\$4 or equipment or rack or (data near3 (center or central or room)))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:04
L27	20815	26 near9 (control\$4 or monitor\$3 or track\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:05
L28	1	27 and 23 and 7	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:05
L29	10	27 and 23 and 6	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:07

L30	22	(24 or 25 or 29) and plenum	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:48
L31	27	23 and 27 and plenum	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:43
L32	1	31 and (22 near7 automatic\$5)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:44
L33	0	(24 or 25 or 29 or 31) and (vent adj tile)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:49
L34	53	(24 or 25 or 29 or 31) and (vent or duct)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:51
L35	61	(24 or 25 or 29 or 31) and return\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:53
L36	68	(24 or 25 or 29 or 31) and (range or threshold or limit)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:56
L37	40	(24 or 25 or 29 or 31) and volume	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 10:59
L38	68	(24 or 25 or 29 or 31) and pressure	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 11:01
L39	50	(24 or 25 or 29 or 31) and computer	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 12:59
L40	24	(24 or 25 or 29 or 31) and instruction	USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/05 12:59

US 4940079 A	Optimal control system	165/236	165/257
US 6798660 B2	Liquid cooling module	361/699	165/80.4; 174/15.1; 361/715
US 6626140 B2	Four stroke engine	ha 123/195A	123/196R; 123/41.08; 440/12.5
US 6601528 B2	Four stroke engine	with 114/55.5	
US 6591819 B2	Four stroke engine	ha 123/572	123/196R
US 6568376 B2	Four stroke engine	ha 123/559.1	123/561; 123/563; 123/90.15; 123/90.23
US 6544086 B2	Four stroke engine	with 440/88M	
US 6415759 B2	Four stroke engine	ha 123/195A	
US 6408896 B1	Coolant circulating	ap 141/59	141/198; 141/82; 141/95; 222/146
US 6390869 B2	Four stroke engine	with 440/88R	123/90.23
US 5860280 A	Liquid cooling system	62/3.64	62/400; 62/59
US 5472043 A	Two-phase component	165/104.2	165/104.33; 257/715; 257/E23.08
US 5069062 A	Fluid dam and pressure	73/49.7	73/45.8
US 4440717 A	Heated junction therm	376/247	376/258; 73/295; 976/DIG.222

L¹⁴

US 6909283 B2	Method and system to	324/300	324/306
US 6708083 B2	Low-power home heat	700/276	236/46R; 237/8R
US 6079626 A	Terminal unit with acti	236/13	236/49.3; 454/269; 454/300
US 4114681 A	Thermostat, method o	165/265	236/68B; 62/202
US 5758514 A	Geothermal heat pum	62/471	62/324.4; 62/509
US 5475986 A	Microprocessor-basec	62/160	236/51; 62/211; 62/223
US 4977529 A	Training simulator for	703/18	376/245; 376/463; 703/3
US 4146085 A	Diagnostic system for	165/11.1	165/DIG.1; 236/94; 62/127
US 3616846 A	CONTROL SYSTEM I	165/256	165/262; 236/78A; 236/78R

L 20

US 6926079 B2	Humidity controller	165/230	165/222
US 6772042 B1	Programmable coolan	700/177	408/61; 409/135
US 5492082 A	Method and apparatus	119/448	119/437; 236/49.3
US 5039006 A	Home heating system	236/11	236/1G; 431/21; 431/22
US 6939899 B2	Composition for produ	523/106	351/159; 351/162; 522/14; 522/16
US 6926510 B2	Plastic lens systems a	425/162	425/174.4; 425/808
US 6881541 B2	Method for analyzing	435/6	435/259; 435/91.2; 436/178; 536/
US 6818185 B1	Cartridge for conducti	422/102	422/100; 422/130; 422/58; 422/99
US 6786598 B2	Plastic eyeglass lense	351/163	264/1.36; 264/1.38; 264/1.7; 351/
US 6783736 B1	Cartridge for analyzin	422/103	137/614.19; 137/863; 251/331; 43
US 6736326 B2	Thermally powered V	236/1C	236/49.5
US 6729866 B2	Plastic lens systems	425/90	425/135; 425/173; 425/174.4; 425
US 6673533 B1	Multi-array multi-speci	435/6	204/400; 422/102; 422/52; 422/58
US 6673278 B1	Methods and apparatus	264/1.38	425/808
US 6634879 B2	Plastic lens systems,	425/162	118/320; 118/620; 425/174.4; 425
US 6592079 B2	Passive cooler compri	244/158.1	165/135; 165/41
US 6576167 B1	Methods and apparatus	264/1.38	264/1.7; 264/2.1; 427/162
US 6557734 B2	Plastic lens systems,	422/146.5	222/518
US 6478990 B1	Plastic lens systems a	264/1.1	249/105; 249/119; 264/1.38; 264/
US 6474093 B1	Expanding barrel syst	62/434	62/376; 62/457.4
US 6451226 B1	Plastic lens compositi	264/1.36	264/1.38; 264/1.7
US 6419873 B1	Plastic lens systems,	264/496	264/1.37; 264/1.38; 264/482; 351
US 6416307 B1	Plastic lens systems,	425/143	118/666; 118/695; 425/161; 425/
US 6391541 B1	Apparatus for analyzir	435/5	241/2; 422/56; 422/58; 435/259; 4
US 6381001 B1	Image reading appara	355/30	355/67
US 6368523 B1	Method and compositi	264/1.36	264/1.38; 264/1.7
US 6367928 B1	Method and compositi	351/159	351/163; 351/166; 351/177
US 6328445 B1	Methods and apparatus	351/159	351/163
US 6280171 B1	El apparatus for eyegl	425/174.4	249/78; 425/808
US 6241505 B1	Apparatus for eyeglas	425/174.4	264/408; 425/808
US 6228289 B1	Plastic lens systems a	264/1.36	264/1.38
US 6207369 B1	Multi-array, multi-spec	435/6	204/400; 204/403.15; 422/50; 422
US 6200124 B1	Apparatus for eyeglas	425/174.4	425/808
US 6174465 B1	Methods for eyeglass	264/1.38	
US 6174155 B1	Apparatus for producii	425/143	264/40.6; 425/144; 425/174.4; 42
US 6171528 B1	Methods and apparatus	264/1.38	
US 6146028 A	Apparatus and metho	396/575	34/639; 355/27; 355/400; 396/579
US 6086799 A	Methods and apparatus	264/1.38	264/DIG.46; 425/174.4; 425/808;
US 5989462 A	Method and compositi	264/1.36	264/1.38
US 5976423 A	Methods and apparatus	264/1.38	264/1.7; 264/2.6
US 5940928 A	Surface maintenance	15/319	15/320; 15/339
US 5928575 A	Methods for eyeglass	264/1.38	264/2.6; 264/40.6

L25

US 5755104 A	Heating and cooling s 62/81	62/205; 62/278
US 5611211 A	Refirgeration system \ 62/149	62/209
US 5595462 A	Machine tool coolant c 409/132	408/1R; 408/56; 408/61; 409/136
US 5410448 A	Adaptive cooling syste 361/695	361/691; 374/143
US 5357779 A	Can body maker with 72/347	72/430
US 5289766 A	Apparatus for cooling 100/329	100/161; 100/332; 100/336; 100/9
US 5257523 A	Can body maker with 72/349	72/351; 72/431
US 5129252 A	Can body maker with 72/349	72/467
US 5068535 A	Time-of-flight ion-scat 250/309	250/287; 250/305
US 4303205 A	Agitator mill and meth 241/17	241/171; 241/172; 241/23; 241/35
US 4199953 A	Temperature stabiliza 62/3.2	250/261; 376/159; 62/467
DE 3930247 A1	Cooling device for circular grindir 451/449	
DE 3930247 A	Cooling device for circular grinding machine - has cooling medium	

L28

US 6926079 B2	Humidity controller	165/230	165/222
US 6772042 B1	Programmable coolant	700/177	408/61; 409/135
US 5492082 A	Method and apparatus	119/448	119/437; 236/49.3
US 5039006 A	Home heating system	236/11	236/1G; 431/21; 431/22
US 6736326 B2	Thermally powered V	236/1C	236/49.5
US 5595462 A	Machine tool coolant	409/132	408/1R; 408/56; 408/61; 409/136
US 5357779 A	Can body maker with	72/347	72/430
US 5289766 A	Apparatus for cooling	100/329	100/161; 100/332; 100/336; 100/3
US 5257523 A	Can body maker with	72/349	72/351; 72/431
US 5129252 A	Can body maker with	72/349	72/467

L29

US 6926079 B2	Humidity controller	165/230	165/222
US 6341900 B1	Method and apparatus	345/418	
US 6296193 B1	Controller for operation	236/13	236/1B
US 6149066 A	Method and apparatus	237/2B	237/2A
US 5065585 A	System for cooling the	62/89	62/180; 62/332
US 4450569 A	Method and structure	373/9	373/77; 373/78
US 4058253 A	Method and apparatus	236/46R	165/212; 169/61; 236/49.2; 454/2
US 6850252 B1	Intelligent electronic a	715/716	380/252; 715/719; 715/727
US 6640145 B2	Media recording device	700/83	700/17; 700/19; 700/23; 704/200;
US 6453897 B1	Intake air pressure sensor	123/684	73/118.2
US 6400996 B1	Adaptive pattern recognition	700/83	370/218; 370/355; 700/17; 700/24
US 6378317 B1	Air-conditioning method	62/186	236/1B; 454/236; 62/179
US 6286492 B1	Fuel injection control	123/684	
US 6061605 A	Methods of treating a	700/121	707/100
US 6055818 A	Method for controlling	62/173	62/176.5; 62/196.4
US 5967411 A	Method and apparatus	237/2B	
US RE36101 E	Air cycle machine with	415/229	310/90.5; 415/214.1
US 5773730 A	Method and apparatus	73/863.83	
US 5289766 A	Apparatus for cooling	100/329	100/161; 100/332; 100/336; 100/3
US 5111927 A	Automated recycling r	194/209	100/902; 209/644; 209/930
US 4926746 A	Work chamber with s	454/51	118/326; 454/52; 454/55; 454/64
US 4509371 A	Venturi flow measuring	73/861	73/1.26; 73/227; 73/861.63
US 4448547 A	Optical temperature r	374/131	250/337; 250/461.1; 374/121; 374
US 4169500 A	Modular air conditioning	165/50	165/65; 165/76
US 3870078 A	SAMPLING SLIDE VALVE	137/625.48	251/325; 376/253; 976/DIG.226
US 3801440 A	LEAK DETECTION SYSTEM	376/253	137/625.48; 976/DIG.226
US 3632470 A	REACTOR FUEL LEAKAGE	376/251	976/DIG.230

L31

US 5492082 A	Method and apparatus	119/448	119/437; 236/49.3
US 4926746 A	Work chamber with st	454/51	118/326; 454/52; 454/55; 454/64
US 4450569 A	Method and structure	373/9	373/77; 373/78
US 4058253 A	Method and apparatus	236/46R	165/212; 169/61; 236/49.2; 454/2
US 6939899 B2	Composition for produ	523/106	351/159; 351/162; 522/14; 522/16
US 6926510 B2	Plastic lens systems a	425/162	425/174.4; 425/808
US 6881541 B2	Method for analyzing	435/6	435/259; 435/91.2; 436/178; 536/
US 6850252 B1	Intelligent electronic a	715/716	380/252; 715/719; 715/727
US 6818185 B1	Cartridge for conducti	422/102	422/100; 422/130; 422/58; 422/99
US 6786598 B2	Plastic eyeglass lense	351/163	264/1.36; 264/1.38; 264/1.7; 351/
US 6783736 B1	Cartridge for analyzin	422/103	137/614.19; 137/863; 251/331; 42
US 6729866 B2	Plastic lens systems	425/90	425/135; 425/173; 425/174.4; 425
US 6673533 B1	Multi-array multi-speci	435/6	204/400; 422/102; 422/52; 422/58
US 6673278 B1	Methods and apparatus	264/1.38	425/808
US 6640145 B2	Media recording devic	700/83	700/17; 700/19; 700/23; 704/200;
US 6634879 B2	Plastic lens systems,	425/162	118/320; 118/620; 425/174.4; 425
US 6576167 B1	Methods and apparatus	264/1.38	264/1.7; 264/2.1; 427/162
US 6557734 B2	Plastic lens systems,	422/146.5	222/518
US 6478990 B1	Plastic lens systems a	264/1.1	249/105; 249/119; 264/1.38; 264/
US 6451226 B1	Plastic lens compositi	264/1.36	264/1.38; 264/1.7
US 6419873 B1	Plastic lens systems,	264/496	264/1.37; 264/1.38; 264/482; 351
US 6416307 B1	Plastic lens systems,	425/143	118/666; 118/695; 425/161; 425/
US 6400996 B1	Adaptive pattern reco	700/83	370/218; 370/355; 700/17; 700/24
US 6391541 B1	Apparatus for analyzir	435/5	241/2; 422/56; 422/58; 435/259; 4
US 6368523 B1	Method and compositi	264/1.36	264/1.38; 264/1.7
US 6367928 B1	Method and compositi	351/159	351/163; 351/166; 351/177
US 6328445 B1	Methods and apparatus	351/159	351/163
US 6280171 B1	El apparatus for eyegl	425/174.4	249/78; 425/808
US 6241505 B1	Apparatus for eyeglas	425/174.4	264/408; 425/808
US 6228289 B1	Plastic lens systems a	264/1.36	264/1.38
US 6207369 B1	Multi-array, multi-spec	435/6	204/400; 204/403.15; 422/50; 422
US 6200124 B1	Apparatus for eyeglas	425/174.4	425/808
US 6174465 B1	Methods for eyeglass	264/1.38	
US 6174155 B1	Apparatus for producti	425/143	264/40.6; 425/144; 425/174.4; 42
US 6171528 B1	Methods and apparatus	264/1.38	
US 6086799 A	Methods and apparatus	264/1.38	264/DIG.46; 425/174.4; 425/808;
US 6061605 A	Methods of treating a	700/121	707/100
US 5989462 A	Method and compositi	264/1.36	264/1.38
US 5976423 A	Methods and apparatus	264/1.38	264/1.7; 264/2.6
US 5940928 A	Surface maintenance	15/319	15/320; 15/339
US 5928575 A	Methods for eyeglass	264/1.38	264/2.6; 264/40.6
US 5595462 A	Machine tool coolant	409/132	408/1R; 408/56; 408/61; 409/136

US 5410448 A	Adaptive cooling system 361/695	361/691; 374/143
US 5357779 A	Can body maker with 72/347	72/430
US 5257523 A	Can body maker with 72/349	72/351; 72/431
US 5129252 A	Can body maker with 72/349	72/467
US 5111927 A	Automated recycling r 194/209	100/902; 209/644; 209/930
US 5068535 A	Time-of-flight ion-scat 250/309	250/287; 250/305
US 4509371 A	Venturi flow measuring 73/861	73/1.26; 73/227; 73/861.63
US 4303205 A	Agitator mill and meth 241/17	241/171; 241/172; 241/23; 241/35

L39

US 6926079 B2	Humidity controller	165/230	165/222
US 4058253 A	Method and apparatus	236/46R	165/212; 169/61; 236/49.2; 454/2
US 6926510 B2	Plastic lens systems	a 425/162	425/174.4; 425/808
US 6881541 B2	Method for analyzing	435/6	435/259; 435/91.2; 436/178; 536/
US 6850252 B1	Intelligent electronic	a 715/716	380/252; 715/719; 715/727
US 6818185 B1	Cartridge for conducti	422/102	422/100; 422/130; 422/58; 422/99
US 6786598 B2	Plastic eyeglass lense	351/163	264/1.36; 264/1.38; 264/1.7; 351/
US 6783736 B1	Cartridge for analyzing	422/103	137/614.19; 137/863; 251/331; 42
US 6729866 B2	Plastic lens systems	425/90	425/135; 425/173; 425/174.4; 425
US 6640145 B2	Media recording device	700/83	700/17; 700/19; 700/23; 704/200;
US 6634879 B2	Plastic lens systems,	425/162	118/320; 118/620; 425/174.4; 425
US 6557734 B2	Plastic lens systems,	422/146.5	222/518
US 6478990 B1	Plastic lens systems	a 264/1.1	249/105; 249/119; 264/1.38; 264/
US 6474093 B1	Expanding barrel syst	62/434	62/376; 62/457.4
US 6451226 B1	Plastic lens compositi	264/1.36	264/1.38; 264/1.7
US 6419873 B1	Plastic lens systems,	264/496	264/1.37; 264/1.38; 264/482; 351
US 6416307 B1	Plastic lens systems,	425/143	118/666; 118/695; 425/161; 425/
US 6400996 B1	Adaptive pattern reco	700/83	370/218; 370/355; 700/17; 700/24
US 6391541 B1	Apparatus for analyzir	435/5	241/2; 422/56; 422/58; 435/259; 4
US 6381001 B1	Image reading appara	355/30	355/67
US 6228289 B1	Plastic lens systems	a 264/1.36	264/1.38
US 6061605 A	Methods of treating	a 700/121	707/100
US 5940928 A	Surface maintenance	15/319	15/320; 15/339
US 5111927 A	Automated recycling r	194/209	100/902; 209/644; 209/930

L40